

STANDARD DETAIL NOTES:

THIS IS A DIAGRAMMATIC REPRESENTATION AND CERTAIN DETAILS REMOVED FOR CLARITY.

IMPORTANT: ALL DIMENSIONS INDICATED ARE NOMINAL.

ESTIMATED O/A ASSEMBLY DRY WEIGHT: 11.0kW - 217.00kg's, 15.0kW - 222.00kg's

IMPORTANT:
THIS DATA IS RELEASED FOR REFERENCE ONLY.

REVISION					
	THIS DATA REMAINS THE PROPERTY OF STALKER ENGINEERING. NO DATA MAY BE REPRODUCED WITHOUT PRIOR CONSENT OF COMPANY. DATA MAY BE ALTERED WITHOUT NOTIFICATION.	**GENERAL TOLERANCES** METRIC +/-0.400mm IMPERIAL +/-0.015"	DRWN: AR	**STALKER PUMPS** www.stalkerpumps.com.au	
	AS1100 3rd ANGLE PROJECTION	REFERENCE: ORIG FILE REF. 16/06/2006	DATE: UPDATED 06/02/2007 SCALE: DIAGRAMMATIC	DIMENSION OUTLINE DIAGRAMMATIC ISO 65/40-200 DC JAW SPACER COUPLING 11.0 and 15.0kW 2P 160M BASE FRAME MOUNTED	
	DO NOT SCALE	APPRVD: / CHECKED:	FILE REF: REFER DWG NUMBER	DRAWING No: **2800ISODCJAWSPCPLEM01415BFDIMA3**	**A3**